



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50319001-002



Mar 20, 2025 | Uptime Fulfillment

Production Method: Other - Not Listed

Harvest/Lot ID: FN924

Batch#: FN924

Harvest Date: 03/01/25

Sample Size Received: 60 ml

Total Amount: 60 ml

Retail Product Size: 60 gram

Retail Serving Size: 60 gram

Servings: 1

Sample Density: 1.26 g/mL

Ordered: 03/18/25

Sampled: 03/19/25

Completed: 03/20/25

Sampling Method: SOP.T.20.010.FL

TESTED

Pages 1 of 1

SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
NOT TESTED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals
Solvents
NOT TESTED



Filth
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC
ND



Total CBD
1.800%



Total Cannabinoids
1.800%

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	1.800	ND	ND	ND	ND	ND	ND	<0.010	ND
mg/ml	ND	ND	22.68	ND	ND	ND	ND	ND	ND	<0.13	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.0065g

Extraction date:
03/19/25 10:52:03

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA084477POT

Instrument Used : DA-LC-003

Analyzed Date : 03/20/25 09:59:52

Batch Date : 03/19/25 08:19:27

Dilution : 400

Reagent : 031425.R04; 012725.01; 030725.R05

Consumables : 4052-629; 947.110; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/20/25